



手推车 WHEEL BARROW



中国驰名商标
Well-known Trademark of China



WB0102
Load Capacity(kg):5
Own Weight(kg):2.3
Water capacity(L):9
Sand Capacity(CBF):0.4
Wheel:6.5 " x2.4 "
L/H/C(mm):790x365x370
A/B/h(mm):475x370x110



WB0100
Load Capacity(kg):5
Own Weight(kg):2.5
Water capacity(L):10
Sand Capacity(CBF):0.4
Wheel:5.5 " x1 "
L/H/C(mm):735x385x385
A/B/h(mm):498x370x90



WB0101
Load Capacity(kg):5
Own Weight(kg):2.2
Water capacity(L):10
Sand Capacity(CBF):0.4
Wheel:7 " x2.5 "
L/H/C(mm):745x390x355
A/B/h(mm):498x370x90



WB0103 (WB0102D)
Load Capacity(kg):15
Own Weight(kg):2.6
Water capacity(L):9
Sand Capacity(CBF):0.4
Wheel:6.5 " x2.4 "
L/H/C(mm):720x350x215
A/B/h(mm):475x370x110



WB0200
Load Capacity(kg):10
Own Weight(kg):5
Water capacity(L):22
Sand Capacity(CBF):0.6
Wheel:8"x1.75 "
L/H/C(mm):840x330x310
A/B/h(mm):590x430x220



WB0201
Load Capacity(kg):10
Own Weight(kg):5
Water capacity(L):20
Sand Capacity(CBF):0.6
Wheel:8 " x1.75 "
L/H/C(mm):860x340x300
A/B/h(mm):590x430x220



WB0205
Load Capacity(kg):5
Own Weight(kg):2.5
Water capacity(L):10
Sand Capacity(CBF):0.4
Wheel:5.5 " x1 "
L/H/C(mm):735x385x330
A/B/h(mm):480x370x125



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



■ **WH0202**
Load Capacity(kg):10
Own Weight(kg):2.4
Water capacity(L):20
Sand Capacity(CBF):0.6
Wheel:6"x1.5"
L/H/C(mm):840x330x290
A/B/h(mm):590x430x220



■ **WH0201**
Load Capacity(kg):10
Own Weight(kg):3.3
Water capacity(L):20
Sand Capacity(CBF):0.6
Wheel:8 " x1.75 "
L/H/C(mm):830x365x290
A/B/h(mm):590x430x220



■ **WB0207**
Load Capacity(kg):5
Own Weight(kg):2.7
Water capacity(L):10
Sand Capacity(CBF):0.4
Wheel:5.5 " x 1 "
L/H/C(mm):745x380x280
A/B/h(mm):460x370x125



■ **WB0209**
Load Capacity(kg):10
Own Weight(kg):3.0
Water capacity(L):20
Sand Capacity(CBF):0.6
Wheel:6 " x1.5 "
L/H/C(mm):830x340x290
A/B/h(mm):590x430x220



■ **WB0210**
Load Capacity(kg):10
Own Weight(kg):3.3
Water capacity(L):20
Sand Capacity(CBF):0.6
Wheel:6 " x1.5 "
L/H/C(mm):830x365x290
A/B/h(mm):590x430x220

手推车 WHEEL BARROW



中国驰名商标
Well-known Trademark of China



■ **WB1022 (DW1500)**

Load Capacity(kg):100
Own Weight(kg):13
Water capacity(L):40
Sand Capacity(CBF):2.5
Wheel:3.25-8
L/H/C(mm):1225x540x355
A/B/h(mm):825x340x300



■ **WB1200**

Load Capacity(kg):100
Own Weight(kg):10.6
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:13 " x3 "
L/H/C(mm):1340x500x555
A/B/h(mm):790x675x165



■ **WB1201**

Load Capacity(kg):100
Own Weight(kg):11
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:13 " x3 "
L/H/C(mm):1340x500x610
A/B/h(mm):790x675x165



■ **WB1206**

Load Capacity(kg):100
Own Weight(kg):12.4
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:3.25/3.00-8
L/H/C(mm):1415x500x610
A/B/h(mm):790x675x165



■ **WB1208**

Load Capacity(kg):100
Own Weight(kg):10
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:3.25/3.00-8
L/H/C(mm):1415x500x610
A/B/h(mm):790x675x165



■ **WB1208-1**

Load Capacity(kg):100
Own Weight(kg):7.1
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:13 " x3 "
L/H/C(mm):1360x550x480
A/B/h(mm):805x690x194



■ **WB1206**

Load Capacity(kg):100
Own Weight(kg):12.4
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:3.25/3.00-8
L/H/C(mm):1415x500x610
A/B/h(mm):790x675x165



■ **WB1500**

Load Capacity(kg):100
Own Weight(kg):13.5
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:13 " x3 "
L/H/C(mm):1340x518x575
A/B/h(mm):790x675x165



■ **WB1501**
Load Capacity(kg):100
Own Weight(kg):13.8
Water capacity(L):45
Sand Capacity(CBF):4
Wheel:13 " x3 "
L/H/C(mm):1340x510x610:
A/B/h(mm):790x675x165



■ **WB2200**
Load Capacity(kg):120
Own Weight(kg):9.8
Water capacity(L):60
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1320x540x500
A/B/h(mm):775x500x230



■ **WB2201**
Load Capacity(kg):120
Own Weight(kg):10.2
Water capacity(L):60
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1320x540x520
A/B/h(mm):775x500x230



■ **WB2202**
Load Capacity(kg):120
Own Weight(kg):14
Water capacity(L):60
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1360x590x500
A/B/h(mm):775x497x280



■ **WB2203**
Load Capacity(kg):120
Own Weight(kg):9.8
Water capacity(L):60
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1310x530x505
A/B/h(mm):780x495x260



■ **WB2203-1**
Load Capacity(kg):120
Own Weight(kg):10
Water capacity(L):60
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1280x485x520
A/B/h(mm):780x495x260



■ **WB2203-2**
Load Capacity(kg):120
Own Weight(kg):10.2
Water capacity(L):60
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1280x485x520
A/B/h(mm):780x495x260



■ **WB2204**
Load Capacity(kg):120
Own Weight(kg):12.8
Water capacity(L):60
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1245x615x547
A/B/h(mm):775x498x280



WB2205
 Load Capacity(kg):120
 Own Weight(kg):12.8
 Water capacity(L):60
 Sand Capacity(CBF):5
 Wheel:13 " x3 "
 L/H/C(mm):1325x600x480
 A/B/h(mm):775x498x280



WB2204-1
 Load Capacity(kg):100
 Own Weight(kg):12.3
 Water capacity(L):60
 Sand Capacity(CBF):5
 Wheel:13 " x3 "
 L/H/C(mm):1245x615x615
 A/B/h(mm):775x495x280



WB2206
 Load Capacity(kg):120
 Own Weight(kg):10.5
 Water capacity(L):60
 Sand Capacity(CBF):5
 Wheel:3.25-8
 L/H/C(mm):1355x645x546
 A/B/h(mm):775x500x230



WB2500
 Load Capacity(kg):120
 Own Weight(kg):12.4
 Water capacity(L):60
 Sand Capacity(CBF):5
 Wheel:13 " x3 "
 L/H/C(mm):1310x550x490
 A/B/h(mm):775x500x230



WB2501
 Load Capacity(kg):120
 Own Weight(kg):12.8
 Water capacity(L):60
 Sand Capacity(CBF):5
 Wheel:13 " x3 "
 L/H/C(mm):1310x550x555
 A/B/h(mm):775x500x230



WB3800
 Load Capacity(kg):100
 Own Weight(kg):12.7
 Water capacity(L):60
 Sand Capacity(CBF):4
 Wheel:13 " x3 "
 L/H/C(mm):1380x540x450
 A/B/h(mm):830x615x255



WB3806
 Load Capacity(kg):100
 Own Weight(kg):12
 Water capacity(L):65
 Sand Capacity(CBF):5
 Wheel:13 " x3 "
 L/H/C(mm):1405x540x450
 A/B/h(mm):820x660x210



■ **WB3807**

Load Capacity(kg):100
Own Weight(kg):11.8
Water capacity(L):40
Sand Capacity(CBF):3.5
Wheel:13 " x3 "
L/H/C(mm):1360x540x455
A/B/h(mm):780x705x155



■ **WB4500**

Load Capacity(kg):130
Own Weight(kg):13.3
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1385x490x540
A/B/h(mm):820x580x210



■ **WB4200**

Load Capacity(kg):130
Own Weight(kg):10.3
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1380x490x540
A/B/h(mm):820x580x210



■ **WB4211**

Load Capacity(kg):120
Own Weight(kg):10
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:350-7
L/H/C(mm):1310x675x530
A/B/h(mm):820x580x210



■ **WB4400**

Load Capacity(kg):120
Own Weight(kg):12
Water capacity(L):46
Sand Capacity(CBF):3.5
Wheel:3.50-8
L/H/C(mm):1390x565x550
A/B/h(mm):835x635x195



■ **WB5200**

Load Capacity(kg):130
Own Weight(kg):11.9
Water capacity(L):70
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1430x595x540
A/B/h(mm):938x708x194



■ **WB5205**

Load Capacity(kg):100
Own Weight(kg):8.5
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1250x640x565
A/B/h(mm):800x610x200



■ **WB5211**

Load Capacity(kg):120
Own Weight(kg):14
Water capacity(L):55
Sand Capacity(CBF):4.5
Wheel:3.00-7
L/H/C(mm):1310x660x580
A/B/h(mm):790x560x225

手推车 WHEEL BARROW



中国驰名商标
Well-known Trademark of China



WB6400
Load Capacity(kg):130
Own Weight(kg):10
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:14" x4"
L/H/C(mm):1430x515x527
A/B/h(mm):825x670x215



WB5220
Load Capacity(kg):130
Own Weight(kg):12.0
Water capacity(L):55
Sand Capacity(CBF):4.5
Wheel:400-8
L/H/C(mm):1365x725x575
A/B/h(mm):790x560x225



WB5500
Load Capacity(kg):130
Own Weight(kg):14.8
Water capacity(L):70
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1430x595x540
A/B/h(mm):938x708x



WB6220
Load Capacity(kg):130
Own Weight(kg):10
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.25-8
L/H/C(mm):1355x645x546
A/B/h(mm):820x660x210



WB6200
Load Capacity(kg):130
Own Weight(kg):10
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1400x460x560
A/B/h(mm):820x660x210



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



■ **WB6411 (WB6407D)**

Load Capacity(kg):120
Own Weight(kg):11.8
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1380x455x600
A/B/h(mm):813x650x210



■ **WB6201**

Load Capacity(kg):130
Own Weight(kg):10
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1400x460x560
A/B/h(mm):820x660x210



■ **WB6401**

Load Capacity(kg):130
Own Weight(kg):12.2
Water capacity(L):75
Sand Capacity(CBF):6
Wheel:14 " x4 "
L/H/C(mm):1490x495x545
A/B/h(mm):970x555x255



■ **WB6404 (WB6404A-1)**

Load Capacity(kg):130
Own Weight(kg):14.3
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1420x640x560
A/B/h(mm):888x565x230



■ **WB6502**

Load Capacity(kg):130
Own Weight(kg):13.6
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13 " x3 "
L/H/C(mm):1370x490x625
A/B/h(mm):840x670x223

手推车 WHEEL BARROW



中国驰名商标
Well-known Trademark of China



WB6503-1
 Load Capacity(kg):130
 Own Weight(kg):14.8
 Water capacity(L):65
 Sand Capacity(CBF):5
 Wheel:3.50-8
 L/H/C(mm):1420x640x560
 A/B/h(mm):813x650x210



WB6405
 Load Capacity(kg):130
 Own Weight(kg):11.6
 Water capacity(L):65
 Sand Capacity(CBF):5
 Wheel:4.00-8
 L/H/C(mm):1420x590x520
 A/B/h(mm):825x670x215



WB6408
 Load Capacity(kg):130
 Own Weight(kg):13.8
 Water capacity(L):65
 Sand Capacity(CBF):5
 Wheel:16 " x4 "
 L/H/C(mm):1420x585x520
 A/B/h(mm):825x670x215



WB6419
 Load Capacity(kg):100
 Own Weight(kg):13.7
 Water capacity(L):50
 Sand Capacity(CBF):4.5
 Wheel:4.80/4.00-8
 L/H/C(mm):1660x540x545
 A/B/h(mm):790x560x215



WB6500
 Load Capacity(kg):130
 Own Weight(kg):12.4
 Water capacity(L):65
 Sand Capacity(CBF):5
 Wheel:13 " x3 "
 L/H/C(mm):1395x460x538
 A/B/h(mm):820x660x210



WB7200
 Load Capacity(kg):160
 Own Weight(kg):10.3
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:13 " x3 "
 L/H/C(mm):1440x480x510
 A/B/h(mm):895x640x235



WB7400
 Load Capacity(kg):160
 Own Weight(kg):11
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:14 " x4 "
 L/H/C(mm):1470x440x520
 A/B/h(mm):895x640x235



■ **WB7402 (WB7400B)**

Load Capacity(kg):160
Own Weight(kg):17
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1490x620x490
A/B/h(mm):980x640x290



■ **WB7401**

Load Capacity(kg):160
Own Weight(kg):12.6
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:14" x4"
L/H/C(mm):1455x510x510
A/B/h(mm):895x640x235



■ **WB7403 (WB7400B-1)**

Load Capacity(kg):160
Own Weight(kg):17
Water capacity(L):80
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1500x645x550
A/B/h(mm):970x670x275



■ **WB7404 (WB7400R)**

Load Capacity(kg):150
Own Weight(kg):13
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1605x505x545
A/B/h(mm):895x640x235



■ **WB7406**

Load Capacity(kg):150
Own Weight(kg):16
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:400-8
L/H/C(mm):1505x640x495
A/B/h(mm):895x640x235



■ **WB7408**

Load Capacity(kg):150
Own Weight(kg):15
Water capacity(L):60
Sand Capacity(CBF):4
Wheel:400-8
L/H/C(mm):1600x500x540
A/B/h(mm):925x680x185



■ **WB7500**

Load Capacity(kg):160
Own Weight(kg):13.4
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1440x485x517
A/B/h(mm):895x 640x235

手推车 WHEEL BARROW



中国驰名商标
Well-known Trademark of China



WB8600

Load Capacity(kg):200
Own Weight(kg):25
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1630x555x565
A/B/h(mm):980x640x290



WB7601

Load Capacity(kg):160
Own Weight(kg):15
Water capacity(L):90
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1640x510x560
A/B/h(mm):1030x675x280



WB8605 (WB8600JZ)

Load Capacity(kg):230
Own Weight(kg):29
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1700x645x685
A/B/h(mm):970x645x295



WB8607

Load Capacity(kg):160
Own Weight(kg):18
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.50-8
L/H/C(mm):1575x440x560
A/B/h(mm):980x640x290



WB8608 (WB8600GS)

Load Capacity(kg):230
Own Weight(kg):30
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8PU
L/H/C(mm):1680x660x530
A/B/h(mm):980x640x290



WB8610

Load Capacity(kg):200
Own Weight(kg):31
Water capacity(L):100
Sand Capacity(CBF):5.5
Wheel:4.00-8
L/H/C(mm):1560x555x540
A/B/h(mm):940x640x310



WB9500

Load Capacity(kg):160
Own Weight(kg):14.6
Water capacity(L):60
Sand Capacity(CBF):4
Wheel:13" x3"
L/H/C(mm):1410x565x553
A/B/h(mm):925x680x185



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



■ **WH3600**
Load Capacity(kg):150
Own Weight(kg):18.3
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1410x960x510
A/B/h(mm):1015x680x335



■ **WH4201**
Load Capacity(kg):100
Own Weight(kg):10.8
Water capacity(L):58
Sand Capacity(CBF):4
Wheel:13" x3"
L/H/C(mm):1430x510x545
A/B/h(mm):960x710x190



■ **WB5405**
Load Capacity(kg):120
Own Weight(kg):12.5
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:400-8
L/H/C(mm):1240x660x705
A/B/h(mm):910x645x245



■ **WB6207-01(WB6200S)**
Load Capacity(kg):80
Own Weight(kg):11
Water Capacity(L):65
Sand Capacity(CBF)" 5
Wheel:13" x3" A
L/H/C(mm):1400x460x540
A/B/h(mm):795x685x210



■ **WB6435 (WB6404S)**
Load Capacity(kg):160
Own Weight(kg):11
Water capacity(L):75
Sand Capacity(CBF):5.5
Wheel:16" x4"
L/H/C(mm):1425x525x490
A/B/h(mm):985x800x325



■ **WB5601**
Load Capacity(kg):100
Own Weight(kg):15.8
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:16" x4"
L/H/C(mm):1585x520x520
A/B/h(mm):1075x600x270



WB6414-1
 Load Capacity(kg):160
 Own Weight(kg):11.8
 Water capacity(L):75
 Sand Capacity(CBF):5.5
 Wheel:4.00-8
 L/H/C(mm):1450x620x565
 A/B/h(mm):985x600x325



WB5600
 Load Capacity(kg):100
 Own Weight(kg):13
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:4.00-8
 L/H/C(mm):1490x585x505
 A/B/h(mm):1075x600x270



WB6414
 Load Capacity(kg):160
 Own Weight(kg):11.8
 Water capacity(L):75
 Sand Capacity(CBF):5.5
 Wheel: 4.00-8
 L/H/C(mm):1450x580x600
 A/B/h(mm): 985x600x325



WB6423 (WB6424P)
 Load Capacity(kg):80
 Own Weight(kg):13.7
 Water capacity(L):55
 Sand Capacity(CBF):4.5
 Wheel:13" x3"
 L/H/C(mm):1370x710x675
 A/B/h(mm):905x675x285



WB6434 (WB6424S)
 Load Capacity(kg):150
 Own Weight(kg):11.4
 Water capacity(L):75
 Sand Capacity(CBF):5.5
 Wheel:4.00-8
 L/H/C(mm):1450x585x590
 A/B/h(mm):945x575x325



WB6437 (WB6424T)
 Load Capacity(kg):120
 Own Weight(kg):11
 Water capacity(L):60
 Sand Capacity(CBF):4.5
 Wheel:4.80/4.00-8
 L/H/C(mm):1485x560x590
 A/B/h(mm):905x675x285



WB6427
 Load Capacity(kg):100
 Own Weight(kg):9.6
 Water capacity(L):55
 Sand Capacity(CBF):4.5
 Wheel:4.00-8
 L/H/C(mm):1300x615x570
 A/B/h(mm):905x675 285



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



WB6305 (WB7800WG)

Load Capacity(kg):180
Own Weight(kg):21
Water capacity(L):120
Sand Capacity(CBF):6.5
Wheel:4.00-8
L/H/C(mm):1435x720x585
A/B/h(mm):990x700x360



WB6429 (WB429LS)

Load Capacity(kg):80
Own Weight(kg):11.3
Water capacity(L):75
Sand Capacity(CBF):5.5
Wheel:16 " x2.125 "
L/H/C(mm):1215x915x447
A/B/h(mm):945x675x325



WB6600

Load Capacity(kg):150
Own Weight(kg):15.6
Water capacity(L):100
Sand Capacity(CBF):6
Wheel:16 " x4 "
L/H/C(mm):1530x540x500
A/B/h(mm):1015x680x330



WH7601

Load Capacity(kg):150
Own Weight(kg):17.6
Water capacity(L):100
Sand Capacity(CBF):6
Wheel:16 " x4 "
L/H/C(mm):1500x640x575
A/B/h(mm):1015x680x330



WB7800

Load Capacity(kg):150
Own Weight(kg):16.5
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.50-8
L/H/C(mm):1540x480x535
A/B/h(mm):1015x680x330



WB6304 (WB7800W)

Load Capacity(kg):150
Own Weight(kg):20
Water capacity(L):100
Sand Capacity(CBF):6
Wheel:4.80/4.00-8
L/H/C(mm):1585x525x535
A/B/h(mm):1015x680x 330



WH6606 (WH6600S)

Load Capacity(kg):150
Own Weight(kg):13.4
Water capacity(L):100
Sand Capacity(CBF):6
Wheel:16 " x4 "
L/H/C(mm):1510x530x550
A/B/h(mm):1015x680x 330

手推车 WHEEL BARROW



中国驰名商标
Well-known Trademark of China



WB7801

Load Capacity(kg):150
Own Weight(kg):16.6
Water capacity(L):100
Sand Capacity(CBF):6
Wheel:16" x4"
L/H/C(mm):1500x505x550
A/B/h(mm):1015x880x330



WH7801

Load Capacity(kg):150
Own Weight(kg):18.5
Water capacity(L):100
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1570x505x550
A/B/h(mm):1015x880x330



WB6611

Load Capacity(kg):160
Own Weight(kg):25.2
Water capacity(L):110
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1390x1060x785
A/B/h(mm):1040x710x315



WB7202 (WB7200S)

Load Capacity(kg):130
Own Weight(kg):10
Water capacity(L):70
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1440x480x510
A/B/h(mm):910x645x245



WB7804 (WB7801-1)

Load Capacity(kg):150
Own Weight(kg):14.5
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1498x517x550
A/B/h(mm):965x705x340



WH7807 (WH7801-1f)

Load Capacity(kg):150
Own Weight(kg):17
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1455x575x540
A/B/h(mm):965x705x340



WH7804

Load Capacity(kg):150
Own Weight(kg):19.7
Water capacity(L):100
Sand Capacity(CBF):6
Wheel:6.50-8
L/H/C(mm):1540x620x515
A/B/h(mm):1015x880x330



WB8606 (WB8603S)

Load Capacity(kg):180
Own Weight(kg):20
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:650-8
L/H/C(mm):1500x565x510
A/B/h(mm):965x705x340



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



WH8802

Load Capacity(kg):160
Own Weight(kg):17.6
Water capacity(L):120
Sand Capacity(CBF):8
Wheel:16" x4"
L/H/C(mm):1540x470x565
A/B/h(mm):1015x840x390



WB8612

Load Capacity(kg):150
Own Weight(kg):19
Water capacity(L):100
Sand Capacity(CBF):
Wheel:6.50-8
L/H/C(mm):1510x605x590
A/B/h(mm):15x880x330



WB8626 (WB8626)

Load Capacity(kg):200
Own Weight(kg):17
Water capacity(L):125
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1415x615x715
A/B/h(mm):1005x875x345



WB8633

Load Capacity(kg):180
Own Weight(kg):20
Water capacity(L):100
Sand Capacity(CBF):
Wheel:6.50-8
L/H/C(mm):1530x600x530
A/B/h(mm):15x880x330



WH9600

Load Capacity(kg):180
Own Weight(kg):20.2
Water capacity(L):210
Sand Capacity(CBF):10
Wheel:16" x4"
L/H/C(mm):1575x575x540
A/B/h(mm):1105x890x480



WH9600-1

Load Capacity(kg):180
Own Weight(kg):20.5
Water capacity(L):210
Sand Capacity(CBF):10
Wheel:16" x4"
L/H/C(mm):1575x575x540
A/B/h(mm):1105x890x480



WB3037 (TC3038P)

Load Capacity(kg):200
Own Weight(kg):21.4
Water capacity(L):
Sand Capacity(CBF):
Wheel:3.50-8
L/H/C(mm):1230x770x625
A/B/h(mm):980x760x230



WB3087 (TC3087)

Load Capacity(kg):150
Own Weight(kg):22
Water capacity(L):180
Sand Capacity(CBF):7
Wheel:400-8
L/H/C(mm):1415x590x430
A/B/h(mm):1145x700x370



WB3038 (TC3038SP)

Load Capacity(kg):200
Own Weight(kg):26
Water capacity(L):
Sand Capacity(CBF):
Wheel:3.50-4
L/H/C(mm):1200x1060x765
A/B/h(mm):980x760x230



WB3039 (TC3080PL)

Load Capacity(kg):300
Own Weight(kg):33
Water capacity(L):
Sand Capacity(CBF):
Wheel:4.80/4.00-8
L/H/C(mm):1500x935x745
A/B/h(mm):1205x940x290



WB3082 (TC3082)

Load Capacity(kg):200
Own Weight(kg):19.6
Water capacity(L):
Sand Capacity(CBF):8
Wheel:3.50-8
L/H/C(mm):1430x615x770
A/B/h(mm):980x760x230



WB3083 (TC3083)

Load Capacity(kg):260
Own Weight(kg):28.6
Water capacity(L):
Sand Capacity(CBF):10
Wheel:400-8
L/H/C(mm):1645x670x935
A/B/h(mm):1205x940x290



WB3089 (TC3089)

Load Capacity(kg):150
Own Weight(kg):21
Water capacity(L):260
Sand Capacity(CBF):12
Wheel:20" x2.125"
L/H/C(mm):1440x590x430
A/B/h(mm):1215x860x440



WB3090 (TC3090)

Load Capacity(kg):150
Own Weight(kg):26
Water capacity(L):260
Sand Capacity(CBF):12
Wheel:650-8
L/H/C(mm):1450x605x840
A/B/h(mm):1215x860x440



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



■ **WB6608 (WB6608H)**

Load Capacity(kg):220
Own Weight(kg):22.2
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1485x520x550
A/B/h(mm):980x640x290



■ **WB6609 (WB6600F)**

Load Capacity(kg):180
Own Weight(kg):16.9
Water capacity(L):80
Sand Capacity(CBF):6
Wheel:16" x4"
L/H/C(mm):1490x480x525
A/B/h(mm):985x685x245



■ **WB7805 (WB7805P)**

Load Capacity(kg):180
Own Weight(kg):25
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8PU
L/H/C(mm):1510x525x550
A/B/h(mm):980x640x290



■ **WB8602**

Load Capacity(kg):200
Own Weight(kg):23.5
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:6.50-8
L/H/C(mm):1530x500x550
A/B/h(mm):980x640x290



■ **WB8603**

Load Capacity(kg):200
Own Weight(kg):26.9
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:6.50-8
L/H/C(mm):1535x480x545
A/B/h(mm):980x640x290



■ **WB6605**

Load Capacity(kg):160
Own Weight(kg):19
Water capacity(L):80
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1480x520x520
A/B/h(mm):970x670x275



■ **WB6601**

Load Capacity(kg):120
Own Weight(kg):18.5
Water capacity(L):80
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1475x550x520
A/B/h(mm):970x670x275

手推车 WHEEL BARROW



中国驰名商标
Well-known Trademark of China



WH7808-1
 Load Capacity(kg):160
 Own Weight(kg):18
 Water capacity(L):100
 Sand Capacity(CBF):7
 Wheel:4.00-8
 L/H/C(mm):1480x612x530
 A/B/h(mm):980x640x290



WB8604
 Load Capacity(kg):200
 Own Weight(kg):23.5
 Water capacity(L):100
 Sand Capacity(CBF):7
 Wheel:650-8
 L/H/C(mm):1535x480x545
 A/B/h(mm):980x640x290



WB8611
 Load Capacity(kg):180
 Own Weight(kg):20
 Water capacity(L):100
 Sand Capacity(CBF):7
 Wheel:16" x4 "PU
 L/H/C(mm):1500x480x545
 A/B/h(mm):980x640x290



WB8614
 Load Capacity(kg):200
 Own Weight(kg):22
 Water capacity(L):100
 Sand Capacity(CBF):7
 Wheel:6.50-8
 L/H/C(mm):1515x525x520
 A/B/h(mm):980x640x290



WH4200
 Load Capacity(kg):100
 Own Weight(kg):11.4
 Water capacity(L):60
 Sand Capacity(CBF):4
 Wheel:13" x3"
 L/H/C(mm):1430x510x545
 A/B/h(mm):925x680x185



WH4400
 Load Capacity(kg):100
 Own Weight(kg):11.7
 Water capacity(L):60
 Sand Capacity(CBF):4
 Wheel:14" x4"
 L/H/C(mm):1445x465x550
 A/B/h(mm):625x680x185



WH4401
 Load Capacity(kg):100
 Own Weight(kg):12
 Water capacity(L):60
 Sand Capacity(CBF):4
 Wheel:14" x4"
 L/H/C(mm):1445x465x550
 A/B/h(mm):925x680x185



中国驰名商标

Well-known Trademark of China



手推车 WHEEL BARROW



WH4405

Load Capacity(kg):100
Own Weight(kg):11.3
Water capacity(L):55
Sand Capacity(CBF):4.5
Wheel:4.00-8
L/H/C(mm):1435x510x490
A/B/h(mm):840x640x230



WH5200

Load Capacity(kg):160
Own Weight(kg):12.7
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1450x510x520
A/B/h(mm):895x640x235



WH5201

Load Capacity(kg):130
Own Weight(kg):12.6
Water capacity(L):70
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1450x488x498
A/B/h(mm):938x708x194



WH5400

Load Capacity(kg):160
Own Weight(kg):11.7
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:14" x4"
L/H/C(mm):1440x465x580
A/B/h(mm):895x640x235



WH5401

Load Capacity(kg):160
Own Weight(kg):12.5
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:14" x4"
L/H/C(mm):1440x465x580
A/B/h(mm):895x645x235



WH6200

Load Capacity(kg):180
Own Weight(kg):14.3
Water capacity(L):80
Sand Capacity(CBF):5.5
Wheel:13" x3"
L/H/C(mm):1510x503x540
A/B/h(mm):985x685x245



WH6601

Load Capacity(kg):160
Own Weight(kg):16.3
Water capacity(L):80
Sand Capacity(CBF):6
Wheel:16" x4"
L/H/C(mm):1495x560x540
A/B/h(mm):970x670x275



WH6602

Load Capacity(kg):160
Own Weight(kg):15.75
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1490x510x550
A/B/h(mm):980x640x290



WH6600
 Load Capacity(kg):160
 Own Weight(kg):14.5
 Water capacity(L):80
 Sand Capacity(CBF):5.5
 Wheel:16" x4"
 L/H/C(mm):1500x525x540
 A/B/h(mm):985x885x245



WH6202
 Load Capacity(kg):130
 Own Weight(kg):10
 Water capacity(L):65
 Sand Capacity(CBF):5
 Wheel:13" x3"
 L/H/C(mm):1340x540x520
 A/B/h(mm):820x660x210



WH6404
 Load Capacity(kg):150
 Own Weight(kg):14.3
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:3.50-8
 L/H/C(mm):1340x470x550
 A/B/h(mm):875x595x285



WH7606
 Load Capacity(kg):200
 Own Weight(kg):19
 Water capacity(L):80
 Sand Capacity(CBF):6
 Wheel:16" x4"
 L/H/C(mm):1540x520x578
 A/B/h(mm):985x685x245



WH7611
 Load Capacity(kg):200
 Own Weight(kg):21
 Water capacity(L):90
 Sand Capacity(CBF):7
 Wheel:4.00-8
 L/H/C(mm):1605x585x645
 A/B/h(mm):1030x675x280



WH7611-1
 Load Capacity(kg):180
 Own Weight(kg):15.5
 Water capacity(L):90
 Sand Capacity(CBF):7
 Wheel:4.00-8
 L/H/C(mm):1495x490x550
 A/B/h(mm):1030x675x280



WH7800
 Load Capacity(kg):200
 Own Weight(kg):20.7
 Water capacity(L):90
 Sand Capacity(CBF):6
 Wheel:4.50-8
 L/H/C(mm):1580x500x525
 A/B/h(mm):985x885x245



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



WH7801

Load Capacity(kg):150
Own Weight(kg):18.5
Water capacity(L):100
Sand Capacity(CBF):6
Wheel: 4.00-8
L/H/C(mm):1570x505x550
A/B/h(mm):1015x680x330



WH7804

Load Capacity(kg):150
Own Weight(kg):19.7
Water capacity(L):100
Sand Capacity(CBF):6
Wheel: 6.50-8
L/H/C(mm):1540x620x515
A/B/h(mm):1015x680x330



WH7805

Load Capacity(kg):160
Own Weight(kg):19.2
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1540x515x555
A/B/h(mm):980x640x290



WH7808

Load Capacity(kg):160
Own Weight(kg):20
Water capacity(L):
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1510x575x560
A/B/h(mm):980x640x290



WH8802

Load Capacity(kg):160
Own Weight(kg):17.6
Water capacity(L):120
Sand Capacity(CBF):8
Wheel: 16"x4"
L/H/C(mm):1540x470x565
A/B/h(mm):1105x840x390



WH8805

Load Capacity(kg):200
Own Weight(kg):21
Water capacity(L):110
Sand Capacity(CBF):8
Wheel:4.00-8
L/H/C(mm):1490x545x520
A/B/h(mm):1000x700x325



WB8806

Load Capacity(kg):210
Own Weight(kg):26.5
Water capacity(L):110
Sand Capacity(CBF):8
Wheel:4.00-8
L/H/C(mm):1505x580x580
A/B/h(mm):1000x700x325



WH9800

Load Capacity(kg):220
Own Weight(kg):24
Water capacity(L):120
Sand Capacity(CBF):8
Wheel:16" x4"
L/H/C(mm):1537x525x545
A/B/h(mm):1035x805x300



WB5219

Load Capacity(kg):80
Own Weight(kg):8.5
Water capacity(L):50
Sand Capacity(CBF):4.5
Wheel:3.50-6
L/H/C(mm):1265x590x545
A/B/h(mm):790x580x215



WB4201

Load Capacity(kg):150
Own Weight(kg):10.2
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1400x529x543
A/B/h(mm):820x580x210



WB4204

Load Capacity(kg):120
Own Weight(kg):9.5
Water capacity(L):60
Sand Capacity(CBF):4
Wheel:4.00-6
L/H/C(mm):1390x500x570
A/B/h(mm):830x630x210



WB5204

Load Capacity(kg):80
Own Weight(kg):8.8
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C(mm):1270x610x570
A/B/h(mm):800x610x200



WB5206

Load Capacity(kg):130
Own Weight(kg):9
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C(mm):1255x655x540
A/B/h(mm):805x605x220



WB5208

Load Capacity(kg):120
Own Weight(kg):11.4
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.50-7
L/H/C(mm):1430x590x530
A/B/h(mm):790x580x220



WB5213

Load Capacity(kg):160
Own Weight(kg):15.3
Water capacity(L):90
Sand Capacity(CBF):5.5
Wheel:4.00-6
L/H/C(mm):1440x582x683
A/B/h(mm):870x675x280



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



WB6418 (WB6404AL)

Load Capacity(kg):160
Own Weight(kg):14.4
Water capacity(L):120
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1475x590x610
A/B/h(mm):925x590x275



WB6203

Load Capacity(kg):150
Own Weight(kg):9.4
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:13" x3"
L/H/C(mm):1355x620x530
A/B/h(mm):820x660x210



WB6204

Load Capacity(kg):120
Own Weight(kg):8.4
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:14" x4"
L/H/C(mm):1290x540x570
A/B/h(mm):800x660x210



WB6204-1

Load Capacity(kg):120
Own Weight(kg):10.6
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1350x605x540
A/B/h(mm):820x660x210



WB6204 (WB6204R)

Load Capacity(kg):160
Own Weight(kg):10.7
Water capacity(L):78
Sand Capacity(CBF):5
Wheel:3.50-8
L/H/C(mm):1430x605x540
A/B/h(mm):890x645x235



WB6204-2 (WB6204GL)

Load Capacity(kg):120
Own Weight(kg):9.8
Water capacity(L):85
Sand Capacity(CBF):4.5
Wheel:3.50-8
L/H/C(mm):650x580x550
A/B/h(mm):810x555x210



WB6211

Load Capacity(kg):80
Own Weight(kg):11.5
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C(mm):1350x800x375
A/B/h(mm):800x647x215



■ **WB6301 (WB6404TD)**

Load Capacity(kg):150
Own Weight(kg):14.5
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1490x570x560
A/B/h(mm):875x595x285



■ **WB6417 (WB6404H)**

Load Capacity(kg):160
Own Weight(kg):13.4
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.80/4.00-8
L/H/C(mm):1340x700x605
A/B/h(mm):875x595x285



■ **WB6436 (WB6404Z)**

Load Capacity(kg):160
Own Weight(kg):14
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.80/4.00-8
L/H/C(mm):1460x575x620
A/B/h(mm):875x595x285



■ **WB6406**

Load Capacity(kg):150
Own Weight(kg):13.2
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1290x670x520
A/B/h(mm):895x640x235



■ **WB6407**

Load Capacity(kg):150
Own Weight(kg):13
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1260x675x570
A/B/h(mm):820x880x210



■ **WB6412**

Load Capacity(kg):160
Own Weight(kg):14
Water capacity(L):75
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1440x570x600
A/B/h(mm):895x570x285



■ **WB6415 (WB6407A)**

Load Capacity(kg):120
Own Weight(kg):8.5
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C(mm):1270x635x544
A/B/h(mm):813x850x210





■ **WB6307 (WB6424H-1)**

Load Capacity(kg):160
Own Weight(kg):13.4
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1435x610x585
A/B/h(mm):875x595x235



■ **WB6422**

Load Capacity(kg):130
Own Weight(kg):14
Water capacity(L):65
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1485x605x615
A/B/h(mm):888x565x230



■ **WB6309 (WB6414T)**

Load Capacity(kg):160
Own Weight(kg):14
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:16" x4"
L/H/C(mm):1460x545x565
A/B/h(mm):875x595x285



■ **WB6424**

Load Capacity(kg):120
Own Weight(kg):11.3
Water capacity(L):55
Sand Capacity(CBF):4.5
Wheel:16" x4"
L/H/C(mm):1450x585x600
A/B/h(mm):840x640x230



■ **WB6306 (WB6424GL)**

Load Capacity(kg):180
Own Weight(kg):13.2
Water capacity(L):120
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1450x565x615
A/B/h(mm):925x590x275



■ **WB6430**

Load Capacity(kg):180
Own Weight(kg):16.5
Water capacity(L):120
Sand Capacity(CBF):6
Wheel:4.00-8
L/H/C(mm):1400x515x630
A/B/h(mm):925x590x275



■ **WB6431**

Load Capacity(kg):160
Own Weight(kg):14.4
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-8
L/H/C(mm):1480x610x615
A/B/h(mm):875x595x285



WB6440
 Load Capacity(kg):160
 Own Weight(kg):16
 Water capacity(L):120
 Sand Capacity(CBF):6
 Wheel:4.00-8
 L/H/C(mm):1375x580x510
 A/B/h(mm):925x590x275



WB6432
 Load Capacity(kg):160
 Own Weight(kg):15
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:3.25-8
 L/H/C(mm):1390x530x620
 A/B/h(mm):875x595x285



WB6433
 Load Capacity(kg):150
 Own Weight(kg):13.9
 Water capacity(L):65
 Sand Capacity(CBF):5
 Wheel:4.00-8
 L/H/C(mm):1450x545x600
 A/B/h(mm):825x670x215



WB6438
 Load Capacity(kg):120
 Own Weight(kg):13.2
 Water capacity(L):70
 Sand Capacity(CBF):5
 Wheel:4.00-8
 L/H/C(mm):1375x600x600
 A/B/h(mm):860x600x255



WB6439
 Load Capacity(kg):120
 Own Weight(kg):13.5
 Water capacity(L):85
 Sand Capacity(CBF):4.5
 Wheel:4.00-8
 L/H/C(mm):1375x580x510
 A/B/h(mm):810x555x210



WB7201
 Load Capacity(kg):130
 Own Weight(kg):10.4
 Water capacity(L):75
 Sand Capacity(CBF):5
 Wheel:13" x3"
 L/H/C(mm):1440x470x570
 A/B/h(mm):895x640x235



WB6610
 Load Capacity(kg):160
 Own Weight(kg):19
 Water capacity(L):80
 Sand Capacity(CBF):6
 Wheel:4.00-8
 L/H/C(mm):1555x530x610
 A/B/h(mm):970x675x270



中国驰名商标
Well-known Trademark of China



手推车 WHEEL BARROW



■ **WB8613**
Load Capacity(kg):200
Own Weight(kg):20
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1520x575x600
A/B/h(mm):980x640x290



■ **WB7204**
Load Capacity(kg):80
Own Weight(kg):8.3
Water capacity(L):75
Sand Capacity(CBF):5
Wheel:4.00-6
L/H/C(mm):1310x575x550
A/B/h(mm):895x640x235



■ **WH7600**
Load Capacity(kg):200
Own Weight(kg):19
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:16" x4"
L/H/C(mm):1500x615x545
A/B/h(mm):980x640x290



■ **WB7608**
Load Capacity(kg):120
Own Weight(kg):11
Water capacity(L):50
Sand Capacity(CBF):4.5
Wheel:3.50-8
L/H/C(mm):1360x580x610
A/B/h(mm):860x585x233



■ **WB7613**
Load Capacity(kg):180
Own Weight(kg):17.8
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:4.00-8
L/H/C(mm):1490x650x630
A/B/h(mm):980x640x290



■ **WB7614 (WB7600C)**
Load Capacity(kg):180
Own Weight(kg):16
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:400-8
L/H/C(mm):1520x660x610
A/B/h(mm):980x640x290



■ **WH7803**
Load Capacity(kg):200
Own Weight(kg):21.5
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:6.50-8
L/H/C(mm):1540x600x545
A/B/h(mm):980x640x290



■ **WB8601**
Load Capacity(kg):200
Own Weight(kg):22
Water capacity(L):100
Sand Capacity(CBF):7
Wheel:6.50-8
L/H/C(mm):1520x585x600
A/B/h(mm):980x640x290